

AROMATIC GRADES FROM MULTISOL

Many applications still require the harshness and heavy solvency power that aromatic materials can offer. Multisol offers several aromatic grades, in addition to the ExxonMobil Solvesso series of products that can provide differing boiling ranges and vapour pressures to suit the needs of specific applications.

	Toluene	Xylene	Multisol H585	HAN	N-Methyl Pyrollidone	HAN 9500
Alternate Name	Methyl Benzene	Dimethyl Benzene	N/A	N/A	NMP	N/A
CAS No	108-88-3	1330-20-7	Mix	64742-94-5 64742-81-0	872-50-4	64742-94-5
Distillation Range (°C)	110 - 111	137 - 143	184 - 285	187 - 292	203 - 206	233 - 290
Flash Point (°C)	4	25	70	74	91	101
Aromatic Content (wt %)	99	96	87	90	100	95
Aniline Point (°C)	N/A	N/A	N/A	N/A	N/A	N/A
Density (@ 15°C) *[Specific Gravity 20/20 °C]	0.866	0.863	0.913	0.937	*1.03	0.982
Evap Rate (nButAc=100)	N/A	N/A	N/A	N/A	N/A	N/A

For further information, or to check for country availability, please contact your local Multisol Representative.

Multisol Limited
Huntsman Drive,
Northbank Industrial Park, Irlam
Greater Manchester, M44 5BA

Main: +44 (0)161 775 1622
Fax: +44 (0)161 777 9345
Orders Tel: +44 (0)870 600 7778
Orders Fax: +44 (0)870 600 7779

Email: info@multisolgroup.com
Web: www.multisolgroup.com



Integrated Management System
PAS 99:1997 510423
ISO 9001
ISO 14001
OHSAS 18001